

Prescription Treatment[®] brand 1100 Pyrethrum TR

Total Release Insecticide

FOR COMMERCIAL USE ONLY

FOR USE IN: Greenhouses and Nurseries. Not for use in and around residential areas.

MAY BE USED ON THESE GROWING CROPS: Herbs, Ornamental Plants, Flowering Plants, Root and Tuber Vegetables, Bulb Vegetables, Leafy Vegetables, Brassica (cole) Leafy Vegetables. (See side panel for additional plant list.) May also be used on Bedding Plants, Cut Flowers, Flowering Hanging Baskets, Foliage, Potted Flowering Plants and Ornamentals.

KILLS: Angoumois Grain Moths, Ants, Aphids, Beetles (Colorado Potato Beetle, Confused Flour Beetles, Cucumber Beetle, Dried Fruit Beetles, Flea Beetle, Japanese Beetles, Red Flour Beetles, Watermelon Beetles), Cabbage Worms, Caddises, Centipedes, Cockroaches, Crickets, Fleas, Flies, Fungus Gnats, Hornworms, House Flies, Indian Meal Moths, Leafhoppers, Mealybugs, Mediterranean Flour Moths, Mites, Moths, Rose Aphids, Rose Chafers, Rose Slugs, Scale, Silverfish, Spider Mites, Spiders, Trogaderma, Weevils (Granary Weevils, Mealworms, Rice Weevils), Thrips and Whiteflies.

ACTIVE INGREDIENTS:

Pyrethrins 0.5%
Piperonyl Butoxide 2.0%

INERT INGREDIENTS: 97.5%

EPA Reg. No. 499-382 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See next page for additional precautionary statements.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Apply product when pest (or plant damage typical of an indicated pest) is seen. Make 1-3 applications per week depending on the severity of the infestations. Do not re-apply product within 48 hours of a previous application.

PREAPPLICATION DIRECTIONS: For best results, apply during early evening when foliage is dry and temperature is between 60°-80°F. Shut off all exhaust fans and close all windows, doors and ventilators. Do not place cans within 10 horizontal feet of any ignition source such as pilot lights, other open flames, or running electrical appliances that cycle off and on. Keep greenhouse closed for four hours, preferably overnight, following treatment. All human occupants and pets must be removed before treatment. Greenhouse must be ventilated according to the requirements of the Worker Protection Standard before re-entry.

TOTAL RELEASE DOSAGE: Use one 1 lb. can per 3,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one

1 lb. can for 1,500 - 3,000 square feet. For smaller greenhouses between 1,500 - 3,000 square feet, use one 1 lb. can.

TO ACTIVATE CANS: Start with can farthest away from exit door. Activate each can by pressing tab down and locking it. Leave greenhouse at once. The entire contents will release automatically.

AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or Tribe, consult the agency responsible for pesticide regulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated: such as plants, soil or water, is: Coveralls, chemical-resistant gloves such as barrier laminate or butyl rubber ≥ 14 mils or nitrile rubber ≥ 14 mils or neoprene rubber ≥ 14 mils or polyvinyl chloride (PVC) ≥ 14 mils or viton ≥ 14 mils, shoes plus socks and protective eyewear.

FOR USE IN GREENHOUSES ON:

Bedding plants (such as): impatiens, marigolds, petunias, geraniums, and garden mums.

Cut flowers (such as): roses, chrysanthemums, carnations, snapdragons, and orchids.

Flowering hanging baskets (such as): fuchsia, lantana, New Guinea impatiens, ivy, and geraniums.

Foliage (such as): Boston fern, dracaena, ficus, schefflera, and philodendron.

Potted flowering plants (such as): poinsettia, chrysanthemums, florist's azaleas, lilies, African violets, geraniums, hibiscus, kalanchoes, and begonias.

Ornamental (such as): azalea, barberry, cotoneaster, euonymus, holly, juniper, oak, pine, rhododendron, roses, spiraea, spruce, viburnum and yew.

Also these growing crops:

Root and Tuber Vegetables: including beets, carrots, potato, radish, sweet potato and turnips.

Bulb Vegetables: including garlic and onion.

Leafy Vegetables: including celery, endive, lettuce, parsley and spinach.

Brassica (Cole) Leafy Vegetables: including broccoli, brussels sprouts, cabbage, cauliflower, collards, kale and mustard greens.

Legume Vegetables: including field peas, garden peas, lima beans, snap beans and soybeans.

Fruiting Vegetables: including eggplant, pepper and tomatoes.

Cucurbita Vegetables: including cucumbers, melons, pumpkin, squash and watermelon.

Herbs: including basil, chive, fennel, marjoram, oregano, parsley and thyme.

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application.

PLANT SAFETY NOTICE: Good greenhouse management must overrule the use of this product when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. Do not use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry place away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap the container and discard in the trash.

PRECAUTIONARY STATEMENTS

FIRST AID

IF IN EYES: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are unavailable, drink large quantities of water. Avoid alcohol.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing before reuse. Do not contaminate water, food, food stuffs or feed. Remove all pets. Cover fish tanks or remove. Do not remain in treated area and ventilate area after treatment is completed for 30 minutes.

PERSONAL PROTECTIVE EQUIPMENT: Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

APPLICATORS AND OTHER HANDLERS MUST WEAR: Long-sleeved shirt and long pants, chemical resistant gloves such as barrier laminate or butyl rubber ≥ 14 mils or nitrile rubber ≥ 14 mils or neoprene rubber ≥ 14 mils or

polyvinyl (PVC) rubber ≥ 14 mils or viton ≥ 14 mils, shoes plus socks and protective eyewear.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. Keep out of lakes, streams or ponds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

ADDITIONAL PRECAUTIONS: Contents of container must be at room temperature before use. Therefore, cans must be stored at room temperature (above 65° F) for 24 hours before application. Make sure spray is unobstructed above units by foliage or other physical objects in order to obtain maximum distribution of fog.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



A PRESCRIPTION TREATMENT® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.

3568 Tree Court Industrial Blvd.

St. Louis MO 63122-6682

www.wmmg.com

© 1999 Whitmire Micro-Gen Research Laboratories, Inc.



1100 Pyrethrum TR Total Release Insecticide