

CHECKLIST OF MINNESOTA CADDISFLIES

Based on Houghton et al. (in review)

285 species

Taxon	Geographic Region				
	NW	NE	CN	SW	SE
RHYACOPHILIDAE (3)					
<i>Rhyacophila angelita</i> Banks 1911		X			
<i>R. fuscula</i> (Walker) 1852		X			X
<i>R. vibox</i> Milne 1936		X			
GLOSSOSOMATIDAE (8)					
<i>Agapetus rossi</i> Denning 1941	X	X	X	X	X
<i>A. tomus</i> Ross 1941		X			X
<i>Glossosoma intermedium</i> (Klapálek) 1892	X	X	X		X
<i>G. nigrrior</i> Banks 1911		X			X
<i>Protoptila erotica</i> Ross 1938			X		X
<i>P. maculata</i> (Hagen) 1961		X	X		
<i>P. talola</i> Denning 1947			X		
<i>P. tenebrosa</i> (Walker) 1862		X	X		
HYDROPTILIDAE (60)					
<i>Agraylea multipunctata</i> Curtis 1834	X	X	X	X	X
<i>Hydroptila ajax</i> Ross 1938			X	X	
<i>H. albicornis</i> Hagen 1861		X			
<i>H. amoena</i> Ross 1938		X			
<i>H. ampoda</i> Ross 1941		X			
<i>H. angusta</i> Ross 1938			X	X	X
<i>H. antennopedia</i> Sykora and Harris 1994		X			
<i>H. armata</i> Ross 1938		X	X		
<i>H. callia</i> Denning 1948		X			
<i>H. consimilis</i> Morton 1905	X	X	X	X	X
<i>H. delineata</i> Morton 1905		X			
<i>H. grandiosa</i> Ross 1938	X	X	X	X	X
<i>H. hamata</i> Morton 1905		X			
<i>H. jackmanni</i> Blickle 1963		X			
<i>H. metoeca</i> Blickle and Morse 1954			X		
<i>H. novicola</i> Blickle and Morse 1954		X			
<i>H. perdita</i> Morton 1905	X	X	X	X	X
<i>H. quinola</i> Ross 1947	X	X	X	X	X
<i>H. rono</i> Ross 1941				X	
<i>H. salmo</i> Ross 1941		X			
<i>H. scolops</i> Ross 1938				X	
<i>H. spatulata</i> Morton 1905		X	X		
<i>H. tortorsa</i> Ross 1938		X			
<i>H. valhalla</i> Denning 1947		X	X		
<i>H. waskesia</i> Ross 1944			X		
<i>H. waubesiana</i> Betten 1934	X	X	X	X	X
<i>H. wyomia</i> Denning 1947		X	X		

Table 1. (Continued)

Taxon	Geographic Region				
	NW	NE	CN	SW	SE
<i>H. xera</i> Ross 1938		X	X		
<i>Ithytrichia clavata</i> Morton 1905		X			
<i>Leucotrichia pictipes</i> (Banks) 1911		X	X		
<i>Mayatrichia ayama</i> Mosely 1937	X	X	X	X	
<i>Neotrichia falca</i> Ross 1941		X			
<i>N. halia</i> Denning 1948		X			
<i>N. minutisimella</i> (Chambers) 1873		X			
<i>N. okopa</i> Ross 1939	X	X	X	X	X
<i>N. vibrans</i> Ross 1939		X			
<i>Ochrotrichia spinosa</i> (Ross) 1938		X		X	
<i>O. tarsalis</i> (Hagen) 1861	X	X	X	X	X
<i>Orthotrichia aegerfasciella</i> (Chambers) 1873	X	X	X	X	X
<i>O. baldufi</i> Kingsolver and Ross 1961		X			
<i>O. curta</i> Kingsolver and Ross 1961		X			
<i>O. cristata</i> Morton 1905	X	X	X	X	X
<i>Oxeythira aeola</i> Ross 1938		X			
<i>O. anabola</i> Blickle 1966		X			
<i>O. arraya</i> Ross 1941		X	X		
<i>O. coercens</i> Morton 1905		X	X		
<i>O. ecornuta</i> Morton 1893			X		
<i>O. forcipata</i> Mosely 1934	X	X	X	X	X
<i>O. itascae</i> Monson and Holzenthal 1993		X	X		
<i>O. michiganensis</i> Mosely 1934		X	X		
<i>O. obtatus</i> Denning 1947		X	X		
<i>O. pallida</i> (Banks) 1904		X	X		
<i>O. rivicola</i> Blickle and Morse 1954	X	X	X	X	X
<i>O. rossi</i> Blickle and Morse 1954		X			
<i>O. serrata</i> Ross 1938		X	X		
<i>O. sida</i> Blickle and Morse 1954		X	X		
<i>O. verna</i> Ross 1938		X	X		
<i>O. zeronia</i> Ross 1941		X	X		
<i>Stactobiella delira</i> (Ross) 1938		X			
<i>S. palmata</i> (Ross) 1938		X			
PHILOPOTAMIDAE (6)					
<i>Chimarra aterrima</i> Hagen 1861					X
<i>C. feria</i> Ross 1941		X	X		
<i>C. obscura</i> (Walker) 1852		X	X		
<i>C. socia</i> Hagen 1861		X	X		
<i>Dolophilodes distinctus</i> (Walker) 1852		X	X		X
<i>Wormaldia moesta</i> (Banks) 1914		X			
ARCTOPSYCHIDAE (1)					
<i>Parapsyche</i> sp.		X	X		
HYDROPSYCHIDAE (33)					
<i>Cheumatopsyche aphantha</i> Ross 1938	X	X	X	X	X
<i>C. campyla</i> Ross 1938	X	X	X	X	X
<i>C. gracilis</i> (Banks) 1907	X	X	X	X	X
<i>C. lasia</i> Ross 1938	X			X	

Table 1. (Continued)

Taxon	Geographic Region				
	NW	NE	CN	SW	SE
<i>C. minuscula</i> (Banks) 1907		X			
<i>C. oxa</i> Ross 1938	X	X	X	X	X
<i>C. pasella</i> Ross 1941					X
<i>C. pettiti</i> (Banks) 1908	X	X	X	X	X
<i>C. sordida</i> (Hagen) 186		X	X		
<i>C. speciosa</i> (Banks) 1904		X	X		
<i>C. wabasha</i> Denning 1947					X
<i>Diplectrona modesta</i> Banks 1908				X	X
<i>Hydropsyche alhedra</i> (Ross) 1939	X	X	X	X	X
<i>H. alternans</i> (Walker) 1852		X	X	X	X
<i>H. betteni</i> Ross 1938	X	X	X	X	X
<i>H. bidens</i> Ross 1938			X	X	X
<i>H. bronta</i> (Ross) 1938	X	X	X	X	X
<i>H. confusa</i> (Walker) 1852			X		
<i>H. dicantha</i> Ross 1938		X			
<i>H. frisoni</i> Ross 1938			X		
<i>H. morosa</i> (Hagen) 1861	X	X	X	X	X
<i>H. orris</i> Ross 1938		X	X		X
<i>H. phalerata</i> (Hagen) 1861			X		
<i>H. placoda</i> Ross 1941	X	X	X	X	X
<i>H. scalaris</i> Hagen 1861		X	X		X
<i>H. slossonae</i> (Banks) 1905	X	X	X	X	X
<i>H. sparna</i> (Ross) 1938		X	X		
<i>H. simulans</i> Ross 1938			X	X	X
<i>H. valanis</i> Ross 1938				X	
<i>H. vexa</i> (Ross) 1938		X	X		
<i>H. walkeri</i> (Betten and Mosely) 1940		X			
<i>Macrostemum zebratum</i> (Hagen) 1861		X	X		X
<i>Potamyia flava</i> (Hagen) 1861	X	X	X	X	X
POLYCENTROPODIDAE (25)					
<i>Cyrnellus fraternus</i> (Banks) 1913				X	X
<i>Neuroclipsis bimaculata</i> (L.) 1758	X	X	X	X	X
<i>N. crepuscularis</i> (Walker) 1852		X	X		X
<i>N. valida</i> (Walker) 1852		X			
<i>Nyctiophylax affinis</i> (Banks) 1897	X	X	X	X	X
<i>N. banksi</i> Morse 1972		X			
<i>N. celta</i> Denning 1948		X			
<i>N. moestus</i> Banks 1911		X	X		X
<i>Polycentropus albipunctatus</i> (Banks) 1930		X	X		
<i>P. aureolus</i> (Banks) 1930	X	X	X	X	X
<i>P. centralis</i> Banks 1914		X			
<i>P. cinereus</i> (Hagen) 1861	X	X	X	X	X
<i>P. clinei</i> (Milne) 1936			X		
<i>P. confusus</i> Hagen 1961		X	X		
<i>P. crassicornis</i> (Walker) 1852	X	X			
<i>P. flavus</i> (Banks) 1908	X	X	X		
<i>P. glacialis</i> (Ross) 1944		X	X		

Table 1. (Continued)

Taxon	Geographic Region				
	NW	NE	CN	SW	SE
<i>P. iculus</i> Ross 1941			X		
<i>P. interruptus</i> (Banks) 1914	X	X	X		X
<i>P. melanae</i> (Ross) 1938		X	X		
<i>P. milaca</i> Etnier 1968			X		
<i>P. pentus</i> Ross 1941	X	X	X	X	X
<i>P. picicornis</i> Stephens 1836		X	X		
<i>P. remotus</i> Banks 1911		X	X	X	
<i>P. weedi</i> Blickle and Morse 1955		X	X		
DIPSEUDOPSIDAE (1)					
<i>Phylocentropus placidus</i> (Banks) 1905		X			X
PSYCHOMYIIDAE (2)					
<i>Lype diversa</i> (Banks) 1914		X	X		
<i>Psychomyia flavida</i> Hagen 1861	X	X	X	X	X
PHRYGANEIDAE (17)					
<i>Agrypnia colorata</i> Hagen 1873		X			
<i>A. deflata</i> Milne 1873		X			
<i>A. glacialis</i> (Hagen) 1873		X			
<i>A. improba</i> (Hagen) 1873		X	X		
<i>A. macdunnoughi</i> (Milne) 1931		X			
<i>A. straminea</i> Hagen 1873	X	X	X	X	X
<i>A. vestita</i> (Walker) 1852		X	X	X	X
<i>Banksiola crotchi</i> Banks 1943	X	X	X		X
<i>B. dossuaria</i> (Say) 1828		X			
<i>B. smithi</i> (Banks) 1914		X			
<i>Beothukus complicatus</i> Banks 1924		X			
<i>Fabria inornata</i> (Banks) 1907			X		
<i>Hagenella canadensis</i> (Banks) 1907		X	X		
<i>Oligostomis</i> sp.			X		
<i>Phryganea cinerea</i> Walker 1852	X	X	X	X	X
<i>Ptilostomis ocellifera</i> (Walker) 1852	X	X	X	X	X
<i>P. semifasciata</i> (Say) 1828	X	X	X	X	X
BRACHYCENTRIDAE (6)					
<i>Brachycentrus americanus</i> (Banks) 1899		X	X		X
<i>B. fuliginosus</i> Walker 1852			X		
<i>B. numerosus</i> (Say) 1823			X		
<i>B. occidentalis</i> Banks 1911			X		X
<i>Micrasema gelidum</i> MacLachlan 1876					X
<i>M. rusticum</i> (Hagen) 1868			X		
<i>M. wataga</i> Ross 1938		X	X		
LIMNEPHILIDAE (51)					
<i>Anabolia bimaculata</i> (Walker) 1852	X	X	X	X	X
<i>A. consocia</i> (Walker) 1852	X	X	X	X	X
<i>A. ozburni</i> (Milne) 1935	X		X		
<i>A. sordida</i> Hagen 1861	X				
<i>Arctopora pulchella</i> (Banks) 1908		X			
<i>Asynarchus montanus</i> (Banks) 1907		X			
<i>A. mutatus</i> (Hagen) 1861		X			

Table 1. (Continued)

Taxon	Geographic Region				
	NW	NE	CN	SW	SE
<i>A. rossi</i> (Leonard and Leonard) 1949		X	X		
<i>Chilostigma itasca</i> Wiggins 1975			X		
<i>Frenesia missa</i> (Milne) 1935			X		X
<i>Glyphopsyche irrorata</i> (F.) 1781		X			
<i>Grammotaulius interogationis</i> (Zetterstedt)		X			
<i>Hesperophylax designatus</i> (Walker) 1852		X	X	X	X
<i>Hydatophylax argus</i> (Harris) 1869		X	X		
<i>Ironoquia lyrata</i> (Ross) 1938		X	X	X	X
<i>I. punctatissima</i> (Walker) 1852			X	X	
<i>Lenarchus crassus</i> Banks 1920		X			
<i>L. keratus</i> (Ross) 1938		X			
<i>Leptophylax gracilis</i> Banks 1900	X		X		
<i>Limnephilus argenteus</i> Banks 1914		X			
<i>L. canadensis</i> Banks 1908	X	X	X		
<i>L. dispar</i> MacLachlan 1875			X		
<i>L. externus</i> Hagen 1861		X			
<i>L. hyalinus</i> Hagen 1861	X	X	X		
<i>L. indivisus</i> Walker 1852		X	X	X	X
<i>L. infernalis</i> (Banks) 1914		X	X		
<i>L. janus</i> Ross 1938		X			
<i>L. moestus</i> Banks 1908		X	X		
<i>L. ornatus</i> Banks 1897	X	X	X		
<i>L. partitus</i> Walker 1852		X			
<i>L. parvulus</i> (Banks) 1905			X		
<i>L. perpusillus</i> Walker 1852	X	X	X	X	X
<i>L. rhombicus</i> (L.) 1758		X	X	X	X
<i>L. sackeni</i> Banks 1930		X			
<i>L. secludens</i> Banks 1914	X	X	X	X	X
<i>L. sericeus</i> (Say) 1824	X	X	X	X	X
<i>L. sublunatus</i> Provancher 1877		X			
<i>L. submonifer</i> Walker 1852	X	X	X	X	X
<i>L. tarsalis</i> (Banks) 1920		X			
<i>Nemotaulius hostilis</i> (Hagen) 1873		X	X		X
<i>Onocosmoecus unicolor</i> (Banks) 1897		X			
<i>Philarctus quaeris</i> (Milne) 1935	X				
<i>Platycentropus amicus</i> (Hagen) 1861		X	X		
<i>P. radiatus</i> (Say) 1824		X	X		
<i>Pseudostenophylax sparsus</i> (Banks) 1908		X			
<i>P. uniformis</i> (Betten) 1934		X	X	X	X
<i>Pycnopsyche aglona</i> Ross 1941		X	X		
<i>P. guttifer</i> Ross 1941	X	X	X		X
<i>P. lepida</i> (Hagen) 1861	X	X	X		X
<i>P. limbata</i> (MacLachlan) 1871		X	X		
<i>P. subfasciata</i> (Say) 1828	X	X	X		X
GOERIDAE (1)					
<i>Goera stylata</i> Ross 1938			X		
APATANIIDAE (1)					

Table 1. (Continued)

Taxon	Geographic Region				
	NW	NE	CN	SW	SE
<i>Apatania zonella</i> (Zetterstedt) 1840		X			
UENOIDAE (3)					
<i>Neophylax concinnus</i> MacLachlan 1871		X	X		X
<i>N. fuscus</i> Banks 1903			X		
<i>N. oligius</i> Ross 1938		X	X		
LEPIDOSTOMATIDAE (8)					
<i>Lepidostoma americanum</i> (Banks) 1897		X			
<i>L. bryanti</i> (Banks) 1908		X	X		
<i>L. costale</i> (Banks) 1914		X	X		
<i>L. libum</i> Ross 1941				X	
<i>L. prominens</i> (Banks) 1930		X			
<i>L. sackeni</i> (Banks) 1936		X			
<i>L. togatum</i> (Hagen) 1861		X	X		X
<i>L. unicolor</i> (Banks) 1911		X			
SERICOSTOMATIDAE (1)					
<i>Agarodes distinctus</i> (Ulmer) 1905		X			
MOLANNIDAE (4)					
<i>Molanna blenda</i> Sibley 1926		X			
<i>M. flavicornis</i> Banks 1914	X	X	X	X	X
<i>M. tryphena</i> Betten 1934		X	X		
<i>M. uniophila</i> Vorhies 1909	X	X	X	X	X
HELICOPSYCHIDAE (1)					
<i>Helicopsyche borealis</i> (Hagen) 1861	X	X	X	X	X
LEPTOCERIDAE (51)					
<i>Ceraclea alagma</i> (Ross) 1938	X	X	X	X	X
<i>C. albosticta</i> (Hagen) 1861		X			
<i>C. alces</i> (Ross) 1941		X			
<i>C. ancylus</i> (Vorhies) 1909	X	X	X	X	X
<i>C. annulicornis</i> (Stephens) 1836		X			
<i>C. arielles</i> (Denning) 1942		X	X		
<i>C. brevis</i> (Etnier) 1968		X			
<i>C. cancellata</i> (Betten) 1934	X	X	X	X	X
<i>C. diluta</i> (Hagen) 1861		X	X		
<i>C. excisa</i> (Morton) 1941		X	X		
<i>C. flava</i> (Banks) 1904		X			
<i>C. maculata</i> (Banks) 1899	X	X	X	X	X
<i>C. mentiea</i> (Walker) 1852		X			
<i>C. nepha</i> (Ross) 1944		X			
<i>C. resurgens</i> (Walker) 1852		X	X		
<i>C. tarsipunctata</i> (Vorhies) 1909	X	X	X	X	X
<i>C. transversa</i> (Hagen) 1861	X	X	X	X	X
<i>C. vertreesi</i> (Denning) 1966			X		
<i>C. wetzeli</i> (Ross) 1941		X			
<i>Leptocerus americanus</i> (Banks) 1899	X	X	X	X	X
<i>Mystacides interjecta</i> (Banks) 1914	X	X	X	X	X
<i>M. sepulchralis</i> (Walker) 1852	X	X	X	X	X
<i>Nectopsyche albida</i> (Walker) 1852	X	X	X	X	X

Table 1. (Continued)

Taxon	Geographic Region				
	NW	NE	CN	SW	SE
<i>N. candida</i> (Hagen) 1861		X	X		
<i>N. diarina</i> (Ross) 1944	X	X	X	X	X
<i>N. exquisita</i> (Walker) 1852		X	X		
<i>N. pavidata</i> (Hagen) 1861		X			
<i>Oecetis avara</i> (Banks) 1895	X	X	X	X	X
<i>O. cinerascens</i> (Hagen) 1861	X	X	X	X	X
<i>O. disjuncta</i> (Banks) 1920		X			
<i>O. ditissa</i> Ross 1966				X	
<i>O. immobilis</i> (Hagen) 1861	X	X	X	X	
<i>O. inconspicua</i> (Walker) 1852					
<i>O. nocturna</i> Ross 1966		X	X	X	
<i>O. ochracea</i> Curtis 1825	X	X	X	X	
<i>O. osteni</i> Milne 1934		X	X		
<i>O. persimilis</i> (Banks) 1907		X	X		
<i>Setodes guttatus</i> (Banks) 1900			X		
<i>S. incertus</i> (Walker) 1852		X			
<i>S. oligius</i> (Ross) 1938			X		
<i>Triaenodes abus</i> Milne 1935		X	X		
<i>T. baris</i> Ross 1938		X	X		
<i>T. dipsius</i> Ross 1938	X	X	X	X	X
<i>T. flavescens</i> Banks 1900		X	X		
<i>T. ignitus</i> (Walker) 1852		X	X		
<i>T. injustus</i> (Hagen) 1861	X	X	X		X
<i>T. marginatus</i> Sibley 1926	X	X	X		
<i>T. nox</i> Ross 1941		X	X		
<i>T. tardus</i> Milne 1934	X	X	X	X	X
<i>Ylodes frontalis</i> Banks 1934	X			X	
<i>Y. reuteri</i> (McLachlan) 1880	X	X	X	X	